



Specifications Philips LED Panel  
RC132V CoreLine G5 Steel White 34W  
3400lm - 830 Warm White | 60x60cm -  
UGR < 19 - Dali Dimmable - Emergency  
3H

[View Product](#)

## General Information

SKU	246271
EAN	8720169013742
Brand	Philips
Manufacturer Name	RC132V G5 34S/830 PSD W60L60 OC ELB3
Any Lamp all-in warranty	5 Years
Average Lifetime (h)	50000
Series	RC132V

## Technical Information

Technology	LED Integrated
Replaces (Watt)	4x18
Wattage	34
Voltage (V)	220-240
Dimmable	Dimmable with Dali
Colour Code	830 Warm White
Colour temperature (Kelvin)	3000 Warm White
Colour Rendering (Ra)	80-89
Colour of Light	White
Light colour options	Single Color
Including bulb	Yes

Amount of bulbs required	1
Luminous Flux (Lumen)	3400
Luminous Efficacy (lm/W)	100
IP-rating	IP20
Impact Protection (IK)	IK03 - 0.35 joule
Fixture Connection	PI [Push-in connector 5-pole]
Finish of Reflector	Acrylate
Power factor	>0.90
Product Type Category	LED Panel

## Fixture Information

---

EOC8	01374200
Mounting Method	Recessed
Unified Glare Rating	< 19 - for offices and schools
Optical Cover	PS (Polystyrene)
Operating Temperature	0 to +35
Emergency Lighting	3H Emergency Light
Colour of the Fixture	White
Housing	Steel
Colour of material	White

## Dimensions

---

LED panel size	60x60cm
Length (mm)	595
Width (mm)	595
Height (mm)	71

## Sensor Information

---

Type of sensor

No Sensor

### Why Any-lamp?



Order from the **largest lighting specialist** in Europe



**Customised** quotation



Up to **7 years warranty**



**Easy** return process

